



buronomic
PIONEER OF WELL-BEING AT WORK

Executives spend 16 years of their lives in meetings! With occasional and conference tables of modular size and shape, Buronomic helps you create a meeting space to suit your mood and requirements and make those 16 years as productive and comfortable as possible.

THE COMBINATION
OF ELEGANCE AND STYLE







Details

Ribbon leg enhanced with a Structurex® facing for discrete cable routing.
 Conference table equipped for electrical connections and cable routing.
 Chrome-plated steel finish ribbon leg.



Materials and warranty

Our industrial know-how guarantees the quality and durability of the materials used to make our furniture.





STRUCTUREX® PANELS

Full panels of particles with melamine surfacing. Counter-balanced and treated against reflection. Thickness 16 to 25 mm. Density 680 kg/m³ for the 25 mm panels. Tested as conforming to abrasion and hot & cold water resistance to the XP D60-050 standard.




NITECH® PANELS


Honeycombed panels between 2 melamine coated 8 mm infills, total thickness 38 mm. Decorative coating imitating a choice of wood soecies. Anti-shock reinforcement edging in ABS, thickness 2 mm



5 YEAR GUARANTEE

The quality and durability of the materials enable us to guarantee all our ranges for 5 years under normal conditions of use.





Technical description

Conference table

- 38 mm thick Nitech® panel with reinforced 3 mm edging and a finishing 2 mm ABS edging.
- Metal arch structure leg, chrome-plated finish.
- Adjustable screw jacks to compensate for any defects in the floor.
- Optional decorative infill panels for privacy and cable routing from floor to desktop.
- Built in vertical cable management throught leg infill using a cable guide that takes cables from the desktop through the leg to the metal chrome finish 80 mm diameter cable port, located on the inner side of the infill panel.
- The conference table can be expended indefinitely using L 140 x D 140 cm module on shared arch.

Round Table

- The 38 mm thick Nitech® structure is made of 2 panels that fit into each other to form a crossed leg.
- 10 mm thick, 110 cm diameter glass top transparent in the middle and frosted on the edge. Glass top resting on 4 metal, 35 mm diameter spacers.



Finishes





storage and tables

Tables

ROUND TABLE



Dimensions in cm	Description	Ref.	+ Finish
Ø 110 H 75	Round glass table top (seat 4 people)	BG93	+

CONFERENCE TABLE



Dimensions in cm	Description	Ref.	+ Finish
D 140	Loop chrome leg	BG736	+
H 73 L 240	Deluxe loop chrome leg (seat 8 to 10 people)	BG746	+

CONFERENCE TABLE EXTENSION



×

Dimensions in cm	Description	Ref.	+ Finish
D 140	Loop chrome leg	BG756	+ 🗀
H 73 L 140	Deluxe loop chrome leg (seat 8 to 10 people)	BG766	+ 🗀



Storages





Dimensions in cm	Description	Ref.	+ Finish
D 60 H 64 L 120	Drawers, niche, storage	BG77	+

CREDENZA



D 48 H 74,5	2 doors / 1 niche	BG79	+ 📖
L 180	2 doors / 1 niche / 1 lateral filing drawer	BG80	+ 🗀



Seat

GRÂCE CHAIR



Detail	Description	Finishes	Reference
	Set of 2 chairs	Black	BN666G
		White	BN666S
Polypropylene back and seat - metal chromed ring Ø 11 mm			
2 11 111111	Oat of A shallon	Black	BN766G
	Set of 4 chairs	White	BN766S

ENTENTE CHAIR



Description	Finishes	Reference
Eco leather back and	Black	BM976G
seat - chrome-plated steel skidbase	White	BM976S



FIND YOUR LOCAL DEALER